

December 3, 2015

CN: 15279

'15 DEC -3 AM 11:14

Ms. Cher Snyder
 Assistant Deputy Executive Officer
 Office of Engineering and Compliance
 South Coast Air Quality Management District
 21865 Copley Drive
 Diamond Bar, CA 91765

**PROJECT: EXIDE TECHNOLOGIES FACILITY ID NO. 124868,
 ORDER OF ABATEMENT CASE NO. 3151-32**
RE: WEEKLY STATUS REPORT # 63 (11/19/15 – 11/25/15)

Dear Ms. Snyder,

Tetra Tech Inc. is pleased to present the following Weekly Status Report for the above referenced project. This report covers the period of November 19, 2015 through November 25, 2015.

CURRENT ACTIVITIES WHERE PREVIOUSLY APPROVED MITIGATION MEASURES WERE FULLY IMPLEMENTED

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) during this reporting period where mitigation measures were observed to be implemented in full compliance with the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD, at the site during this period include:

TASK ID	Major Work Item	Mitigation Measure(s)
EX83/4	RCRA RFI Soil Sampling	Temporary Enclosure Under Negative Pressure
EX105	Install Roof Gutters and Down Spouts	Pre-cleaning and Wet Methods

RCRA RFI Soil Sampling

No work occurred related to the RCRA RFI Soil Sampling. RCRA RFI Soil Sampling activities on the Exide property will continue once a revised scope of work is identified to address the changed field conditions and approved by the regulatory agencies.

Roof Gutters and Down Spouts

Advanced Construction continued installation of gutters on the south end of the Total Enclosure Building on Thursday, November 19, 2015. The work area was pre-cleaned and all wash waters were collected using a SCAQMD permitted HEPA vacuum. The

work area was kept wet during the installation of the new gutter system. Installation of the new gutters was completed on Friday, November 20, 2015.

Verification activities included:

- Periodic visual inspection of the installation activity to confirm that the area was pre-cleaned, that all cleaning liquids were collected using HEPA vacuums, confirmation that the HEPA vacuums were permitted by SCAQMD, confirmation that the area was maintained wet, and confirmation that installation activities were as described in the approved mitigation plan.

CURRENT ACTIVITIES WHERE A DEVIATION FROM PREVIOUSLY APPROVED MITIGATION MEASURES WERE OBSERVED AND THE CORRECTIVE ACTIONS TAKEN

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) currently under way or completed during this reporting period where for each of the activities described below, mitigation measures were implemented which to some extent deviated from the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD:

TASK ID	Major Work Item	Deviation(s)	CORRECTIVE ACTION
None			

In general accordance with the Order for Abatement Case No. 3151-32 Findings and Decision, air monitoring, if required, was conducted during a portion of all repair work performed within the temporary enclosures on a daily basis. If the results of continuous Dust Trak air monitoring detected excessive dust, additional suppression activities are required to be implemented. For this reporting period, Dust Trak monitoring did not detect excessive dust being generated from repair activities.

Activity Which Resulted in Excessive Dust	Additional Suppression Activity
None	None

ACTUAL vs. FORECAST PROGRESS:

Exide Technologies submitted a schedule which outlines the tasks needed to be completed in response to this abatement order. The attached Gant Chart shows scheduled progress for all activities planned for the upcoming two week period. The following table shows the status of these activities.

TASK	STATUS
None	None

WORK SCHEDULED DURING THE UPCOMING PERIOD:

The following activities are anticipated for the upcoming weeks:

Week	Anticipated Activities
Nov. 26 – Dec. 2	<ul style="list-style-type: none">• Install Gutters and Spouts East Begins• Install Riser of Stormwater Sensor Covers Begins

Week	Anticipated Activities
Dec. 3 - Dec. 9	<ul style="list-style-type: none">• Install Gutters and Spouts East Continues• Install Riser on Stormwater Sensor Covers Continues

KEY MILESTONES:

The following key milestones were achieved during this reporting period:

- o Roof Gutters and Downspouts on Total Enclosure Building COMPLETE

WORKER SAFETY CONCERNS:

The following Health and Safety issues, as they apply to Tetra Tech employees, were observed during this reporting period:

- o None.

POTENTIAL CHANGES AND ACTION ITEMS REQUIRING RESOLUTION:

The following items require resolution:


- o None at this time.

SUMMARY:

The summary provided herein covers the activities for the period of November 19, 2015 through November 25, 2015. Tetra Tech continues to perform routine inspections of the facility to document ongoing activities including the cleaning of the flood control channel easement that dissects the site including Dust Trak monitoring on November 19, 2015 and November 20, 2015 when cleaning activities were south of the mid monitoring location. Please find attached a copy of Exide's upcoming two weeks schedule and site map identifying the location of the activities on the upcoming two weeks schedule.

Should you have questions regarding this report, or require additional information, please contact me at your earliest convenience.

Sincerely,



Nick Somogyi *for*
Project Engineer

ATTACHMENTS:
Gant Chart Schedule
Site Map
Field Monitoring Data

Gant Chart Schedule

Project Schedule

Week of 11/16/15 – 12/09/15

Rev: 11/30/2015



Recycling Division, Vernon, CA

Mitigation Plan Risks	Task Name	Plant Location	Duration	Start Date	Finish Date	%	11/14/2015		11/21/15				11/28/15				12/05/15									
							16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	01	02	03	04	05
Ex72	Cleaning of Assorted Materials in Total	Total Enclosure	406 days	11/20/14	12/31/15	80%																				
Ex76	Various Work Methods in Total Enclosure	Total Enclosure	405 days	11/21/14	12/31/15	80%																				
4	RCRA RFI Soil Sampling	General	261 days	2/18/15	1/16/15	97%																				
Ex83	RFI Soil Sampling Supplemental	General	261 days	2/18/15	1/16/15	97%																				
Ex 105	Gutters & Downspouts on the Total Enclosure	Total Enclosure Roof	5 days	11/9/14	11/20/15	90%	■	■	■	■	■															
Ex106	Repairing City Water Line at East Fence	East Fence	1 day	12/4/15	12/4/15	0%																				
Ex 107	Install Riser on Storm Water Sensor Covers	General	15 days	12/1/15	12/18/15	0%																		■	■	■
Ex 108	Install Roof Gutters & Spouts East	Total Enclosure Roof	15 days	12/1/15	12/18/15	0%																		■	■	■

*Numbering system correlates with Mitigation plan document.
Ex refers to additional work part of Sec. 6b in the Mitigation plan document.*

Site Map



Mitigation Project Map Layout

Week 11/16/15 – 12/09/15

Rev: 11/30/15

4. RCRA RFI Soil Sampling

Ex 83. RFI Soil Sampling Supplemental

Ex 72. Cleaning of Assorted Materials in Total Enclosure

Ex 76. Various Work Methods in Total Enclosure



Ex 105 Gutters & Downspouts on the Total Enclosure Bldg.

EX 106 Repairing City Water Pipe at East Fence

Ex 108 Install Roof Gutters & Spouts East

Numbering system correlates with Mitigation plan document. Ex refers to additional work part of Sec. 6b in the Mitigation plan document.

Mitigation Schedule and Map_113015.pptx



Monitoring Results / Reports
(Thursday, November 19, 2015)

ACTIVITY	SERIAL NUMBER	LOCATION
Flood Control Channel Cleaning	8533113401	Upwind
Flood Control Channel Cleaning	8533141005	Downwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

11/19/2015 Flood Control Channel
Cleaning

Test 007

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/19/2015
Instrument S/N	8533113401	Start Time	09:25:47
		Stop Date	11/19/2015
		Stop Time	15:15:47
		Total Time	0:05:50:00
		Logging Interval	300 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	11/19/2015	09:30:47	0.117	0.122	0.125	0.135	0.135
2	11/19/2015	09:35:47	0.126	0.133	0.138	0.147	0.147
3	11/19/2015	09:40:47	0.105	0.110	0.114	0.120	0.120
4	11/19/2015	09:45:47	0.115	0.122	0.125	0.132	0.132
5	11/19/2015	09:50:47	0.133	0.141	0.145	0.153	0.153
6	11/19/2015	09:55:47	0.067	0.069	0.070	0.072	0.073
7	11/19/2015	10:00:47	0.057	0.057	0.058	0.059	0.060
8	11/19/2015	10:05:47	0.055	0.055	0.056	0.057	0.057
9	11/19/2015	10:10:47	0.059	0.060	0.062	0.064	0.064
10	11/19/2015	10:15:47	0.051	0.052	0.052	0.053	0.054
11	11/19/2015	10:20:47	0.049	0.049	0.050	0.051	0.051
12	11/19/2015	10:25:47	0.049	0.050	0.050	0.052	0.052
13	11/19/2015	10:30:47	0.050	0.051	0.051	0.052	0.052
14	11/19/2015	10:35:47	0.050	0.050	0.051	0.052	0.052
15	11/19/2015	10:40:47	0.051	0.051	0.052	0.053	0.053
16	11/19/2015	10:45:47	0.050	0.050	0.051	0.052	0.052
17	11/19/2015	10:50:47	0.051	0.052	0.052	0.054	0.054
18	11/19/2015	10:55:47	0.067	0.070	0.071	0.074	0.074
19	11/19/2015	11:00:47	0.102	0.108	0.113	0.120	0.120
20	11/19/2015	11:05:47	0.085	0.090	0.093	0.098	0.098
21	11/19/2015	11:10:47	0.063	0.065	0.066	0.067	0.067
22	11/19/2015	11:15:47	0.073	0.076	0.078	0.081	0.082
23	11/19/2015	11:20:47	0.056	0.057	0.058	0.059	0.059
24	11/19/2015	11:25:47	0.047	0.047	0.048	0.049	0.049
25	11/19/2015	11:30:47	0.051	0.051	0.052	0.053	0.053
26	11/19/2015	11:35:47	0.056	0.057	0.058	0.060	0.060
27	11/19/2015	11:40:47	0.060	0.061	0.062	0.064	0.064
28	11/19/2015	11:45:47	0.046	0.046	0.047	0.048	0.048
29	11/19/2015	11:50:47	0.051	0.051	0.052	0.053	0.053
30	11/19/2015	11:55:47	0.049	0.050	0.050	0.051	0.051
31	11/19/2015	12:00:47	0.051	0.051	0.052	0.053	0.053
32	11/19/2015	12:05:47	0.047	0.048	0.048	0.049	0.049
33	11/19/2015	12:10:47	0.048	0.048	0.049	0.050	0.050
34	11/19/2015	12:15:47	0.046	0.047	0.047	0.048	0.048
35	11/19/2015	12:20:47	0.047	0.048	0.048	0.049	0.049

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
36	11/19/2015	12:25:47	0.049	0.049	0.050	0.051	0.051
37	11/19/2015	12:30:47	0.048	0.048	0.048	0.050	0.050
38	11/19/2015	12:35:47	0.047	0.048	0.048	0.049	0.049
39	11/19/2015	12:40:47	0.054	0.054	0.055	0.056	0.056
40	11/19/2015	12:45:47	0.067	0.068	0.069	0.071	0.071
41	11/19/2015	12:50:47	0.084	0.086	0.087	0.090	0.090
42	11/19/2015	12:55:47	0.078	0.079	0.080	0.083	0.083
43	11/19/2015	13:00:47	0.092	0.096	0.098	0.100	0.100
44	11/19/2015	13:05:47	0.115	0.121	0.123	0.125	0.125
45	11/19/2015	13:10:47	0.143	0.152	0.155	0.159	0.159
46	11/19/2015	13:15:47	0.197	0.212	0.219	0.229	0.229
47	11/19/2015	13:20:47	0.195	0.209	0.216	0.229	0.230
48	11/19/2015	13:25:47	0.157	0.168	0.171	0.175	0.175
49	11/19/2015	13:30:47	0.181	0.194	0.199	0.207	0.207
50	11/19/2015	13:35:47	0.135	0.145	0.146	0.148	0.148
51	11/19/2015	13:40:47	0.137	0.147	0.148	0.150	0.150
52	11/19/2015	13:45:47	0.122	0.130	0.133	0.139	0.139
53	11/19/2015	13:50:47	0.146	0.153	0.156	0.161	0.161
54	11/19/2015	13:55:47	0.170	0.178	0.180	0.184	0.184
55	11/19/2015	14:00:47	0.106	0.109	0.111	0.115	0.116
56	11/19/2015	14:05:47	0.163	0.173	0.175	0.178	0.178
57	11/19/2015	14:10:47	0.209	0.229	0.232	0.235	0.235
58	11/19/2015	14:15:47	0.163	0.175	0.177	0.180	0.180
59	11/19/2015	14:20:47	0.124	0.131	0.133	0.137	0.137
60	11/19/2015	14:25:47	0.095	0.097	0.099	0.103	0.103
61	11/19/2015	14:30:47	0.090	0.093	0.095	0.100	0.100
62	11/19/2015	14:35:47	0.111	0.116	0.120	0.126	0.127
63	11/19/2015	14:40:47	0.133	0.142	0.146	0.153	0.153
64	11/19/2015	14:45:47	0.117	0.123	0.126	0.130	0.131
65	11/19/2015	14:50:47	0.128	0.136	0.140	0.145	0.145
66	11/19/2015	14:55:47	0.123	0.131	0.134	0.138	0.139
67	11/19/2015	15:00:47	0.111	0.117	0.120	0.125	0.125
68	11/19/2015	15:05:47	0.088	0.091	0.093	0.098	0.099
69	11/19/2015	15:10:47	0.078	0.080	0.081	0.084	0.084
70	11/19/2015	15:15:47	0.072	0.073	0.074	0.076	0.076

Test 007

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/19/2015
Instrument S/N	8533141005	Start Time	09:03:27
		Stop Date	11/19/2015
		Stop Time	15:18:27
		Total Time	0:06:15:00
		Logging Interval	300 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	11/19/2015	09:08:27	0.017	0.018	0.019	0.022	0.023
2	11/19/2015	09:13:27	0.016	0.017	0.018	0.022	0.022
3	11/19/2015	09:18:27	0.027	0.028	0.030	0.036	0.038
4	11/19/2015	09:23:27	0.027	0.029	0.030	0.037	0.038
5	11/19/2015	09:28:27	0.018	0.019	0.021	0.025	0.026
6	11/19/2015	09:33:27	0.006	0.007	0.007	0.009	0.010
7	11/19/2015	09:38:27	0.005	0.005	0.006	0.007	0.008
8	11/19/2015	09:43:27	0.003	0.003	0.003	0.004	0.005
9	11/19/2015	09:48:27	0.002	0.003	0.003	0.004	0.005
10	11/19/2015	09:53:27	0.002	0.003	0.003	0.004	0.004
11	11/19/2015	09:58:27	0.002	0.002	0.003	0.004	0.004
12	11/19/2015	10:03:27	0.003	0.003	0.003	0.005	0.005
13	11/19/2015	10:08:27	0.002	0.003	0.003	0.004	0.004
14	11/19/2015	10:13:27	0.002	0.003	0.003	0.004	0.004
15	11/19/2015	10:18:27	0.002	0.002	0.003	0.004	0.005
16	11/19/2015	10:23:27	0.001	0.002	0.002	0.003	0.004
17	11/19/2015	10:28:27	0.001	0.002	0.002	0.004	0.004
18	11/19/2015	10:33:27	0.001	0.001	0.002	0.003	0.003
19	11/19/2015	10:38:27	0.003	0.003	0.003	0.005	0.005
20	11/19/2015	10:43:27	0.001	0.001	0.002	0.003	0.003
21	11/19/2015	10:48:27	0.000	0.001	0.001	0.002	0.003
22	11/19/2015	10:53:27	0.000	0.000	0.001	0.002	0.002
23	11/19/2015	10:58:27	0.000	0.000	0.000	0.001	0.001
24	11/19/2015	11:03:27	-0.001	-0.001	-0.001	0.000	0.000
25	11/19/2015	11:08:27	-0.001	-0.001	0.000	0.000	0.000
26	11/19/2015	11:13:27	0.000	0.000	0.000	0.002	0.002
27	11/19/2015	11:18:27	0.000	0.000	0.000	0.001	0.001
28	11/19/2015	11:23:27	-0.002	-0.002	-0.002	-0.001	-0.001
29	11/19/2015	11:28:27	-0.001	-0.001	0.000	0.000	0.000
30	11/19/2015	11:33:27	0.000	0.000	0.000	0.002	0.002
31	11/19/2015	11:38:27	0.001	0.001	0.002	0.003	0.003
32	11/19/2015	11:43:27	-0.001	-0.001	0.000	0.000	0.000
33	11/19/2015	11:48:27	-0.001	-0.001	0.000	0.000	0.000
34	11/19/2015	11:53:27	-0.001	-0.001	0.000	0.001	0.001
35	11/19/2015	11:58:27	-0.001	-0.001	-0.001	0.000	0.000

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
36	11/19/2015	12:03:27	-0.001	0.000	0.000	0.000	0.001
37	11/19/2015	12:08:27	-0.002	-0.001	-0.001	0.000	0.000
38	11/19/2015	12:13:27	-0.003	-0.003	-0.002	-0.001	-0.001
39	11/19/2015	12:18:27	-0.003	-0.003	-0.003	-0.001	-0.001
40	11/19/2015	12:23:27	-0.003	-0.003	-0.003	-0.002	-0.002
41	11/19/2015	12:28:27	-0.004	-0.003	-0.003	-0.002	-0.001
42	11/19/2015	12:33:27	-0.004	-0.004	-0.004	-0.002	-0.002
43	11/19/2015	12:38:27	-0.003	-0.002	-0.002	0.000	0.000
44	11/19/2015	12:43:27	0.005	0.006	0.006	0.009	0.009
45	11/19/2015	12:48:27	0.021	0.022	0.023	0.027	0.028
46	11/19/2015	12:53:27	0.019	0.020	0.021	0.025	0.025
47	11/19/2015	12:58:27	0.017	0.018	0.018	0.021	0.022
48	11/19/2015	13:03:27	0.019	0.020	0.020	0.023	0.023
49	11/19/2015	13:08:27	0.018	0.019	0.020	0.022	0.023
50	11/19/2015	13:13:27	0.019	0.020	0.021	0.024	0.025
51	11/19/2015	13:18:27	0.022	0.023	0.024	0.027	0.028
52	11/19/2015	13:23:27	0.015	0.015	0.016	0.019	0.019
53	11/19/2015	13:28:27	0.019	0.021	0.022	0.024	0.025
54	11/19/2015	13:33:27	0.019	0.021	0.022	0.025	0.026
55	11/19/2015	13:38:27	0.010	0.010	0.011	0.012	0.012
56	11/19/2015	13:43:27	0.008	0.009	0.010	0.011	0.011
57	11/19/2015	13:48:27	0.010	0.011	0.012	0.014	0.014
58	11/19/2015	13:53:27	0.012	0.013	0.013	0.015	0.016
59	11/19/2015	13:58:27	0.010	0.010	0.011	0.013	0.013
60	11/19/2015	14:03:27	0.012	0.013	0.014	0.017	0.017
61	11/19/2015	14:08:27	0.016	0.017	0.018	0.021	0.022
62	11/19/2015	14:13:27	0.010	0.010	0.011	0.012	0.013
63	11/19/2015	14:18:27	0.010	0.010	0.011	0.013	0.013
64	11/19/2015	14:23:27	0.011	0.012	0.012	0.014	0.015
65	11/19/2015	14:28:27	0.009	0.010	0.010	0.012	0.013
66	11/19/2015	14:33:27	0.011	0.011	0.012	0.013	0.013
67	11/19/2015	14:38:27	0.010	0.010	0.011	0.012	0.013
68	11/19/2015	14:43:27	0.008	0.009	0.009	0.010	0.011
69	11/19/2015	14:48:27	0.011	0.012	0.013	0.015	0.015
70	11/19/2015	14:53:27	0.013	0.014	0.014	0.016	0.017
71	11/19/2015	14:58:27	0.010	0.010	0.011	0.012	0.013
72	11/19/2015	15:03:27	0.010	0.011	0.011	0.014	0.014
73	11/19/2015	15:08:27	0.010	0.010	0.011	0.013	0.013
74	11/19/2015	15:13:27	0.007	0.007	0.008	0.009	0.009
75	11/19/2015	15:18:27	0.006	0.007	0.007	0.009	0.009

Monitoring Results / Reports
(Friday, November 20, 2015)

ACTIVITY	SERIAL NUMBER	LOCATION
Flood Control Channel Cleaning	8533141005	Upwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

11/20/2015 Flood Control Channel
Cleaning

Test 008

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/20/2015
Instrument S/N	8533141005	Start Time	07:42:57
		Stop Date	11/20/2015
		Stop Time	13:17:57
		Total Time	0:05:35:00
		Logging Interval	300 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	11/20/2015	07:47:57	0.024	0.025	0.026	0.030	0.031
2	11/20/2015	07:52:57	0.027	0.028	0.030	0.034	0.035
3	11/20/2015	07:57:57	0.044	0.047	0.050	0.058	0.059
4	11/20/2015	08:02:57	0.034	0.036	0.038	0.042	0.042
5	11/20/2015	08:07:57	0.037	0.039	0.041	0.044	0.045
6	11/20/2015	08:12:57	0.043	0.046	0.048	0.052	0.053
7	11/20/2015	08:17:57	0.033	0.036	0.037	0.040	0.041
8	11/20/2015	08:22:57	0.023	0.025	0.026	0.028	0.029
9	11/20/2015	08:27:57	0.022	0.023	0.024	0.026	0.027
10	11/20/2015	08:32:57	0.031	0.033	0.035	0.038	0.039
11	11/20/2015	08:37:57	0.014	0.015	0.016	0.018	0.019
12	11/20/2015	08:42:57	0.022	0.023	0.025	0.028	0.028
13	11/20/2015	08:47:57	0.010	0.010	0.011	0.013	0.014
14	11/20/2015	08:52:57	0.008	0.009	0.009	0.011	0.012
15	11/20/2015	08:57:57	0.026	0.029	0.031	0.035	0.036
16	11/20/2015	09:02:57	0.010	0.011	0.012	0.014	0.014
17	11/20/2015	09:07:57	0.008	0.008	0.009	0.011	0.012
18	11/20/2015	09:12:57	0.007	0.007	0.008	0.010	0.010
19	11/20/2015	09:17:57	0.006	0.007	0.007	0.009	0.009
20	11/20/2015	09:22:57	0.007	0.007	0.008	0.009	0.009
21	11/20/2015	09:27:57	0.005	0.005	0.006	0.007	0.007
22	11/20/2015	09:32:57	0.003	0.004	0.004	0.005	0.005
23	11/20/2015	09:37:57	0.004	0.005	0.005	0.007	0.007
24	11/20/2015	09:42:57	0.005	0.005	0.006	0.007	0.008
25	11/20/2015	09:47:57	0.005	0.006	0.007	0.009	0.009
26	11/20/2015	09:52:57	0.005	0.006	0.006	0.008	0.008
27	11/20/2015	09:57:57	0.006	0.006	0.007	0.008	0.008
28	11/20/2015	10:02:57	0.006	0.007	0.008	0.010	0.010
29	11/20/2015	10:07:57	0.007	0.007	0.008	0.010	0.010
30	11/20/2015	10:12:57	0.006	0.007	0.007	0.009	0.009
31	11/20/2015	10:17:57	0.005	0.006	0.006	0.008	0.008
32	11/20/2015	10:22:57	0.005	0.005	0.006	0.007	0.007
33	11/20/2015	10:27:57	0.005	0.005	0.006	0.007	0.007
34	11/20/2015	10:32:57	0.003	0.004	0.004	0.005	0.006
35	11/20/2015	10:37:57	0.002	0.003	0.003	0.004	0.004

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
36	11/20/2015	10:42:57	0.006	0.007	0.007	0.008	0.009
37	11/20/2015	10:47:57	0.005	0.006	0.006	0.007	0.008
38	11/20/2015	10:52:57	0.004	0.004	0.005	0.006	0.006
39	11/20/2015	10:57:57	0.003	0.003	0.004	0.005	0.005
40	11/20/2015	11:02:57	0.004	0.005	0.005	0.007	0.007
41	11/20/2015	11:07:57	0.005	0.005	0.006	0.008	0.008
42	11/20/2015	11:12:57	0.005	0.005	0.006	0.007	0.008
43	11/20/2015	11:17:57	0.004	0.004	0.005	0.006	0.007
44	11/20/2015	11:22:57	0.005	0.005	0.006	0.008	0.008
45	11/20/2015	11:27:57	0.007	0.008	0.008	0.010	0.011
46	11/20/2015	11:32:57	0.008	0.009	0.010	0.011	0.012
47	11/20/2015	11:37:57	0.011	0.011	0.012	0.014	0.014
48	11/20/2015	11:42:57	0.013	0.014	0.014	0.016	0.016
49	11/20/2015	11:47:57	0.013	0.014	0.015	0.016	0.016
50	11/20/2015	11:52:57	0.013	0.014	0.014	0.016	0.016
51	11/20/2015	11:57:57	0.015	0.015	0.016	0.017	0.018
52	11/20/2015	12:02:57	0.018	0.018	0.019	0.020	0.021
53	11/20/2015	12:07:57	0.024	0.025	0.026	0.027	0.028
54	11/20/2015	12:12:57	0.025	0.025	0.026	0.027	0.028
55	11/20/2015	12:17:57	0.024	0.025	0.026	0.027	0.028
56	11/20/2015	12:22:57	0.023	0.023	0.024	0.026	0.026
57	11/20/2015	12:27:57	0.024	0.024	0.025	0.027	0.027
58	11/20/2015	12:32:57	0.027	0.027	0.028	0.030	0.030
59	11/20/2015	12:37:57	0.029	0.030	0.030	0.032	0.033
60	11/20/2015	12:42:57	0.030	0.031	0.032	0.034	0.034
61	11/20/2015	12:47:57	0.030	0.031	0.032	0.034	0.034
62	11/20/2015	12:52:57	0.027	0.028	0.028	0.030	0.030
63	11/20/2015	12:57:57	0.030	0.030	0.031	0.033	0.033
64	11/20/2015	13:02:57	0.027	0.027	0.028	0.029	0.030
65	11/20/2015	13:07:57	0.031	0.031	0.032	0.034	0.034
66	11/20/2015	13:12:57	0.031	0.032	0.032	0.034	0.034
67	11/20/2015	13:17:57	0.039	0.040	0.041	0.042	0.042